

Digital Camera 10.0 Megapixels
DCS-1050



Slim design, exceptional image quality and feature-rich

Product Features

- 10.0 Megapixel Digital Camera
- Slim, elegant design
- Face Tracking Identifies faces within the frame and automatically adjusts for ideal focus and exposure
- Anti-Shake compensates for camera movement to deliver crisp, clean images
- Captures high-resolution images up to 3648 x 2736
- 3.0" LTPS TFT LCD, scratch-resistant acrylic panel display
- 3x optical zoom and 4x digital zoom
- Movie mode captures video clips with resolutions of 640 x 480, 320 x 240, and 160 x 120
- Built-in flash with auto, red-eye reduction, always on, slow sync, forced on and forced off modes
- Manual, daylight, cloudy, tungsten, fluorescent and custom white balance settings
- 22 modes: Program, movie, voice REC, portrait, landscape, sunset, night scene, night scene portrait, text, back light, kids, snow, food, fireworks, building, quickmode, sport, soft skin, candle, party, building, soft flowing water

Digital Camera 10.0 Megapixels

DCS-1050

Product Specifications

Number of Pixels		10.0 Mega Pixels
Image Resolutions		3648x2736(10M), 3648x2432(3:2), Widescreen(16:9), 3264x2448(8M), 2560x1920(5M), 2048x1536(3M)
File Formats		Still: EXIF 2.2 compatible format, (JPEG compression) DCF, supports DPOF, PictBridge compatible Video: MPEG-4 w/audio Audio: WAV
Imaging Elements		3.0" Type, 28-pin Plastic SOP
Lens		Focal length: f=6.2 (W) - 18.6 (T)mm, (35mm film equivalent: 37.5(W) -112.5(T) mm)
LCD Display		3.0" TFTcolor LCD (240K)
Special Mode		Face-tracking
Hot Key		Anti-shake, Playback, Menu, Set/Display, Trash/ASM
Zoom		3x optical zoom, 4x digital zoom
Focus Range		Normal: (W) 80cm - Infinity (for all zoom step) Macro: (W) 10cm - 80cm / (T) 50cm - 80cm
Exposure Meter		Center-weighted, multi, spot (default : multi)
Exposure Control		Default Auto, Exposure compensation: -2EV to +2EV in 1/3 step
Shutter Speed		Mechanical Shutter, shutter speed: 1/2000~ 8 sec. with CCD variable electronic shutter
Aperture		F/2.8 at Wide, (W), 5.1(T) at Tele.
White Balance		Manual(6 modes in manual selection: daylight, cloudy, tungsten, fluorescent (H), fluorescent (L), custom)
Scene Modes		22 modes: Program, movie, voice REC, portrait, landscape, sunset, night scene, night scene portrait, text, back light, kids, snow, food, fireworks, building, quickmode, sport, soft skin, candle, party, building, soft flowing water
Sensitivity		Default Auto, Auto, ISO 50, 100, 200, 400, 800, 1600
Self-Timer		10 sec, 2 sec, single shot and Double self-timer
Built-In Flash		5 modes: Red-eye reduction, Always on, Slow sync, Forced On, Forced Off
Photo Effects		Off, Black & White, Sepia, Negative Art, Mosaic, RGB filter
Burst		Continuous, Unlimited
Recording Functions		Resolution: 640x480 / 320x240 / 160x120 (@30fps) Recording time: until media is full
Voice Memo		Max 30 sec. along with an image file (still & movie)
TV System		NTSC/PAL (selected by MENU)
Storage		16MB internal memory, SD/MMC card slot
Languages		English, German, French, Japanese, Italian, Korean, Spanish, Simplified Chinese, Traditional Chinese, Dutch, Russian, Portuguese, Czech, Polish, Turkish, Hungarian
Power Supply		Li-ion BAttery x 1
Dimensions		(W)3.5"x(H) 2.4"x(D) .96"
Unit Weight		.31 lbs.
Accessories		USB cable, AV Cable, Wrist Strap, Camera Bag,



UPC# 803802352120

Norcent is a registered trademark of Norcent Technology Inc. (2007)
550 Cliffside Drive, San Dimas, CA 91773
All rights reserved.

All product information is accurate to the best of our knowledge at the time of publication.
Features and specifications are subject to change without notice.